



Errors and amendments excepted. Our General Terms and Conditions are effective. / WEEE-Reg.-No. DE 69718127

Please also note our general details and sales information

Edition 13.02.2025

DESIGN

CONSTRUCTIVE DESIGN

All the materials used correspond to the requirements according to RAL-GZ 430/4.

Functional armchair, metal base frame

Seat upholstery structure: zig-zag springs, Dacron, pocket barrel spring, polystyrene foam VW 40, Diolen

Back upholstery structure: Dacron, polystyrene foam, Diolen

UPHOLSTERY CASUAL / LOOSE

With casual upholsteries you are rather sitting „in the sofa“ than on it, the upholstery snuggles. A casual/loose upholstery is characterized by a smooth upholstery structure. The cover is not waveless. The ridge of the covers on the seat, back and armrests as well as sitzmarks due to the model and design are typical.

BACK TENSIONING SECTIONS

All back tensioning sections are supplied as standard with the original cover.

FUNCTIONS

I FUNCTIONAL HEAD PIECE

The head piece can be adjusted by a ratchet mechanism that allows different positions. By pulling beyond the highest position the head piece can be returned to the basic position.



II FOLLOWING ON ARMREST

Ergonomic, following on armrests that adapt automatically to the respective seat or lying position.

III MOTOR-DRIVEN RELAX FUNCTION

Integrated seat adjustment: Back and leg part can be adjusted separate of each other for a comfortable relax position into a lying position.

By operation of the sidewise fixed TOUCH-IT sensors (underneath the armrest, standing in front on the left) the back and the leg part can be adjusted infinitely separate of each other into a lying position.



The motor-driven relax function is actuated by mains current. It can also be delivered **with rechargeable battery against extra charge**.

Please note: Do not sit on the raised leg part. The joint is not designed for use with the entire weight of the body.




LEGS

Metal rotary plate stainless steel, lightly curved



Stellate leg optionally available in:

- metal nickel satinized (stainless steel optics)
- metal powder-coated structural black mat



The tethered relax version (with mains current) is possessing a turn limiter. This avoids that the electric cable wraps around the frame. Rotatability of the armchair is approx. 320°. The relax armchair actuated with rechargeable battery can be rotated full 360°.

ARMREST

The armrest bracket is optionally available in:

- nickel satinized (stainless steel optics)
- metal powder-coated structural black mat



SEAM

Depending on the model, the seam on leather covers may be different from fabric covers, especially on fitted items. Decorative leather seam (as felled seams or double seams) may be omitted depending on the model according to suitability of the fabric covering material.

The model is only worked with selvedge seam.



Errors and amendments excepted. Our General Terms and Conditions are effective.



Please also note our general details and sales information

Edition 13.02.2025

CONTRAST STITCHING

The production is carried out either **with contrast stitching** or with a **thread (tone on tone)** matching the leather in terms of colour.

CONTRAST STITCHING

With leather covers and with fabric 13-BISON a **contrast thread colour** must be explicitly chosen.

Unfortunatley with fabric and microfiber covers without leather part a processing with contrast stitching is not possible (**Exception 13-BISON**).

THREAD TONE ON TONE

The model is worked with a thread matching the cover in terms of colour (tone on tone).



LIGHT GREY 0321

BEIGE 1222

NOUGAT 0281

GREY 0415

DARK BROWN 1002

BLACK 4000

RED 0504

DARK BLUE 0827

COVERING MATERIALS

You may find the information concerning the specific properties of the covering materials on the sample labels.

INDICATIONS OF DIMENSIONS AND REQUIREMENTS

All the values given are approximate values: dimensions in centimetres, material requirements in metres, leather requirements in square metres.

Constructive structure and elected materials ensure that the standards of the quality assessments and test instructions of RAL-GZ 430 are achieved. Our products are designed for a max. static loading of 125 kg per seat.



ORDER CHECK LIST

Please pay attention to the following issues respectively to complete specifications when ordering:

- article
- covering material
- with leather covers **production with or without contrast stitching**
- with version with contrast stitching **colour of contrast thread**
- **leg version**; with stellate leg also **finish**
- **finish of armrest bracket**



PURCHASE price list

good till cancelled

Edition 13.02.2025

Errors and amendments excepted. Our General Terms and Conditions are effective.

RELAX ARMCHAIR Armchair with functional head piece and motor-driven relax function. By adjustment to the relax position the total depth is enlarged up to approx. 165 cm and the seat depth up to 96 cm.

I ARMCHAIR



Armchair

H min. 79
H max. 112
D min. 82
D max. 165
SD min. 54
SD max. 96
SH 49

W 92



I ACCESSORIES

Neck cushion
w. counter
weight

D 43

25

Requirement	3,80	0,50
-------------	------	------

COM

10
13
16
20
25
30

45

FABRIC

Requirement	7,00	0,70
-------------	------	------

COM

X
A
B
C
D
E
F
G

Extra charge for battery:

LEATHER